

EXHIBIT B



GOODMAN & GILMAN's The PHARMACOLOGICAL BASIS OF THERAPEUTICS

Ninth Edition

McGraw-Hill
HEALTH PROFESSIONS DIVISION

New York St. Louis San Francisco Auckland Bogotá Caracas Lisbon London Madrid
Mexico City Milan Montreal New Delhi San Juan Singapore Sydney Tokyo Toronto

Antidepressants: Chemical Structures, Dose and Dosage Forms, and Side Effects

NONSUPPLEMENTARY NAME (TRADE NAME)			DOSE AND DOSAGE FORMS		SIDE EFFECTS							
R ₁	R ₂	R ₃	Usual Dose, mg/day	Extreme Dose, mg/day	Dosage Form	Antine Effects	Sedation	Anti-cholinergic Effects	Hypo-tension	Cardiac Effects	Seizures	Weight Gain
<p>Norepinephrine-Reuptake Inhibitors: Tertiary Amine Tricyclics</p> 												
Amitriptyline (ELAVIL and others)			100-200	25-300	O, I	NE, 5-HT	+++	+++	+++	+++	++	++
Clomipramine (ANAPRANIL)			100-200	25-250	O	NE, 5-HT	++	+++	++	+++	+++	+
Doxepin (ADAPIN, SIBERGAN)			100-200	25-300	O	NE, 5-HT	+++	++	+++	++	++	++
Imipramine (TUFENANIL and others)			100-200	25-300	O, I	NE, 5-HT	++	++	++	+++	++	++
(+)–Tolipramine (SURMONTIL)												
C	H	N-CH ₂ CH(CH ₃)N(CH ₃) ₂	75-200	25-300	O	NE, 5-HT	+++	+++	++	+++	++	++
<p>Norepinephrine-Reuptake Inhibitors: Secondary Amine Tricyclics Anoxaphine (ASERON)</p> 			200-300	50-600	O	NE, DA	+	+	++	++	++	+
Desipramine (NORPRAMIN, PERTOFANE)			100-200	25-300	O	NE	0/+	+	+	++	+	+
Maproline (LITOBANIL)			100-150	25-225	O	NE	++	++	++	++	+++	+